

POSTGRESQL - ALIAS SYNTAX

http://www.tutorialspoint.com/postgresql/postgresql_alias_syntax.htm

Copyright © tutorialspoint.com

You can rename a table or a column temporarily by giving another name, which is known as **ALIAS**. The use of table aliases means to rename a table in a particular PostgreSQL statement. Renaming is a temporary change and the actual table name does not change in the database.

The column aliases are used to rename a table's columns for the purpose of a particular PostgreSQL query.

Syntax:

The basic syntax of **table** alias is as follows:

```
SELECT column1, column2....  
FROM table_name AS alias_name  
WHERE [condition];
```

The basic syntax of **column** alias is as follows:

```
SELECT column_name AS alias_name  
FROM table_name  
WHERE [condition];
```

Example:

Consider the following two tables, (a) [COMPANY](#) table is as follows:

```
testdb=# select * from COMPANY;  
id | name | age | address | salary  
---+---+---+---+---  
1 | Paul | 32 | California | 20000  
2 | Allen | 25 | Texas | 15000  
3 | Teddy | 23 | Norway | 20000  
4 | Mark | 25 | Rich-Mond | 65000  
5 | David | 27 | Texas | 85000  
6 | Kim | 22 | South-Hall | 45000  
7 | James | 24 | Houston | 10000  
(7 rows)
```

(b) Another table is [DEPARTMENT](#) as follows:

```
id | dept | emp_id  
---+---+---  
1 | IT Billing | 1  
2 | Engineering | 2  
3 | Finance | 7  
4 | Engineering | 3  
5 | Finance | 4  
6 | Engineering | 5  
7 | Finance | 6  
(7 rows)
```

Now, following is the usage of **TABLE ALIAS** where we use C and D as aliases for COMPANY and DEPARTMENT tables, respectively:

```
testdb=# SELECT C.ID, C.NAME, C.AGE, D.DEPT  
FROM COMPANY AS C, DEPARTMENT AS D  
WHERE C.ID = D.EMP_ID;
```

Above PostgreSQL statement will produce the following result:

id	name	age	dept
1	Paul	32	IT Billing
2	Allen	25	Engineering
7	James	24	Finance
3	Teddy	23	Engineering
4	Mark	25	Finance
5	David	27	Engineering
6	Kim	22	Finance

(7 rows)

Let us see an example for the usage of **COLUMN ALIAS** where COMPANY_ID is an alias of ID column and COMPANY_NAME is an alias of name column:

```
testdb=# SELECT C.ID AS COMPANY_ID, C.NAME AS COMPANY_NAME, C.AGE, D.DEPT
        FROM COMPANY AS C, DEPARTMENT AS D
        WHERE C.ID = D.EMP_ID;
```

Above PostgreSQL statement will produce the following result:

company_id	company_name	age	dept
1	Paul	32	IT Billing
2	Allen	25	Engineering
7	James	24	Finance
3	Teddy	23	Engineering
4	Mark	25	Finance
5	David	27	Engineering
6	Kim	22	Finance

(7 rows)